



Technical Specifications



SINGLE DIAPHRAGM CONDENSER MICROPHONE **B-1**

Gold-Sputtered Large-Diaphragm Studio Condenser Microphone






SINGLE DIAPHRAGM CONDENSER MICROPHONE B-1

Gold-Sputtered Large-Diaphragm Studio Condenser Microphone

- Professional 1" gold-sputtered large-diaphragm condenser microphone for unsurpassed audio quality
- Ideal as main and support microphone for studio and live applications--perfect for acoustic instruments and overhead etc.
- Cardioid pickup pattern for outstanding sound source separation and feedback rejection
- Pressure-gradient transducer with shock-mounted gold-sputtered large-diaphragm capsule
- Switchable low-frequency roll-off and -10 dB input attenuation
- Ultra low-noise transformerless FET input eliminates low-frequency distortion
- Ultra-rugged construction with nickel-plated brass body
- Gold-plated 3-pin XLR output connector for perfect signal transmission
- Heavy-duty suspension mount, windscreen and aluminum transport case included
- High-quality components and exceptionally rugged construction ensure long life

Specifications


Transducer type	condenser, 1" single diaphragm
Operating principle	pressure gradient
Polar pattern	cardioid
Connection	gold-plated balanced XLR connector
Open circuit voltage at 1 kHz	-34 +/-2 dBV (0 dBV = 1 V/Pa)
Open circuit sensitivity	20 mV/Pa
Frequency range	20 Hz - 20 kHz
Level attenuation	-10 dB (switchable)
Low-Cut filter	6 dB/Octave at 75 Hz (switchable)
Max. SPL (1% THD @ 1 kHz)	138 dB (0 dB), 148 dB (-10 dB)
Equivalent SPL (IEC 268-4)	13 dB-A
Signal-to-noise ratio re 1 Pa	81 dB A-weighted
Nominal impedance	50 Ω
Load impedance	> 1 kΩ



Polar pattern

Mains Voltage/Fuse		
Supply voltage	+48 V	
Supply current	3 mA	

Phy:	sical/Weight	
	Dimensions	Ø: 58 mm, length: 174 mm
	Weight	0.45 kg



Frequency response

BEHRINGER is constantly striving to maintain the highest professional standards. As a result of these efforts, modifications may be made from time to time to existing products without prior notice. Specifications and appearance may differ from those listed or illustrated.

TECHNICAL SPECIFICATIONS AND APPEARANCE ARE SUBJECT TO CHANGE WITHOUT NOTICE. THE INFORMATION CONTAINED HEREIN IS CORRECT AT THE TIME OF PRINTING. ALL TRADEMARKS ARE THE PROPERTY OF THEIR RESPECTIVE OWNERS.
MUSIC GROUP ACCEPTS NO LIABILITY FOR ANY LOSS WHICH MAY BE SUFFERED BY ANY PERSON WHO RELIES EITHER WHOLLY OR IN PART UPON ANY DESCRIPTION, PHOTOGRAPH OR STATEMENT CONTAINED HEREIN, COLORS AND SPECIFICATIONS
MAY VARY FROM ACTUAL PRODUCT. MUSIC GROUP PRODUCTS ARE SOLD THROUGH AUTHORIZED FULLFILLERS AND RESELLERS ONLY. FULLFILLERS AND RESELLERS ARE NOT AGENTS OF MUSIC GROUP AND HAVE ABSOLUTELY NO AUTHORITY TO BIND
MUSIC GROUP BY ANY EXPRESS OR IMPLIED UNDERTAKING OR REPRESENTATION. THIS MANUAL IS COPYRIGHTED. NO PART OF THIS MANUAL MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL,
INCLUDING PHOTOCOPYING AND RECORDING OF ANY KIND, FOR ANY PURPOSE, WITHOUT THE EXPRESS WRITTEN PERMISSION OF MUSIC GROUP IP LTD. ALL RIGHTS RESERVED. © 2011 MUSIC GROUP IP LTD. TRIDENT CHAMBERS, WICKHAMS CAY,
P.O. BOX 146, ROAD TOWN, TORTOLA, BRITISH VIRGIN ISLANDS