

Portable Amplifiers

NX4-6000

Ultra-Lightweight 6000-Watt 4-Channel
Class-D Power Amplifier with SmartSense
Loudspeaker Impedance Compensation



- Delivers 4 x 1600 Watts into 2 Ohms, 2 x 3000 Watts into 4 Ohms and weighs less than 13.4 lbs / 6.1 kg
- Ultimate reliability through revolutionary cool-running High-Density Class-D technology with “near-zero” thermal buildup
- Ultra-efficient switch-mode power supply for noise-free audio, superior transient response and low power consumption
- Built-in stereo crossover with low-cut, high-cut and full range mode
- SmartSense Loudspeaker impedance compensation features fully linear frequency response at any speaker load impedance
- “Zero-Attack” limiters offer maximum output level with reliable overload protection
- Detented and illuminated gain controls for precise level setting
- Precise 4-segment Signal and Limit LEDs to monitor performance
- XLR and ¼" TRS combination input connectors for compatibility with any source
- Professional twist-lock speaker connectors for ultimate reliability
- Independent DC, LF and thermal overload protection on each channel automatically protects amplifier and speakers without shutting down the show

The NX4-6000 power amplifier packs 6000 Watts (4 x 1600 Watts @ 2 Ohms; 2 x 3000 Watts @ 4 Ohms) into exceptionally lightweight (13.4 lbs / 6.1 kg) and rack-mountable packages. And because the NX4-6000 is so much more efficient than conventional designs, it runs cooler and doesn't require the massive heat sinks and heavy toroid transformers typically associated with its conventional counterparts. Thanks to our “Zero-Attack” limiters that offer maximum output level with exceptionally-reliable overload protection and SmartSense Loudspeaker impedance compensation, which provides fully linear frequency response at any speaker load impedance, you can run the NX4-6000 full-out for hours on-end. Our revolutionary high-density Class-D technology, combined with an ultra-efficient, switch-mode power supply ensure this feather-light powerhouse will drive your rig effortlessly for many years to come.




Portable Amplifiers

NX4-6000

Ultra-Lightweight 6000-Watt 4-Channel Class-D Power Amplifier with SmartSense Loudspeaker Impedance Compensation

- “Back-to-front” ventilation system prevents thermal buildup for reliable operation
- 3-Year Warranty Program*
- Designed and engineered in Germany



Class-D - Massive Power, Perfect Sound

Thanks to our High-Density Class-D amplifier Technology, we are able to provide you with enormous power and incredible sonic performance in an easy-to-use, ultra-portable and lightweight package. Class-D amplification makes all the difference, offering the ultimate in energy efficiency – and eliminating the need for heavy power supplies and massive heat sinks. This amazing technology makes it possible to design and build extremely-powerful products that are significantly lighter in weight than their traditional counterparts, while using less energy and protecting the environment.

Sublimely Simple Operation

The front panel controls and indicators provide your system’s vital signs at a glance. After pressing the Power button, the Power LED lights to show the amp is ready for action. All channels feature positive-detent Gain controls with Signal LEDs that light when a signal is present, as well as Limit LEDs to indicate when the amplifier is running at full capacity. Just as elegant as the front, the rear panel is home to the combo XLR and ¼" TRS Input connectors, making the NX4-6000 compatible with virtually any source, balanced or unbalanced. Professional twist-lock speaker sockets are provided to ensure every drop of output power gets to your loudspeakers.




The rear panel is also where you’ll find the switches that enable the NX4-6000 amp to run in your choice of dual mono, stereo or mono bridge modes. The NX4-6000’s built-in Crossover switch sets the amp to Full-Range mode, where the output is sent unfiltered to your loudspeakers, or Bi-amp mode, which sends only the low-frequency content (<100 Hz) to passive subwoofers, while the high-frequency content (>100 Hz) is channeled to your full-range loudspeakers.

Portable Amplifiers

NX4-6000

Ultra-Lightweight 6000-Watt 4-Channel
Class-D Power Amplifier with SmartSense
Loudspeaker Impedance Compensation



SmartSense Impedance Compensation

Our new SmartSense Technology puts the punch back into Class-D amplification, providing vastly improved full-range frequency response with more powerfully-dynamic bass, and smoother high-frequency reproduction. The resulting output is no longer dependent on the actual load, but is rendered perfectly ruler flat via impedance compensation. NX4-6000's design also incorporates a significantly-higher damping factor that yields better amplifier control over the loudspeaker for stronger audio reproduction – especially in the LF area.

Sound Value

Sporting massive output ratings, lightweight Class-D technology and an equally lightweight price tag – plus all the amenities a professional audio engineer could ask for – the **BEHRINGER** NX4-6000 power amplifier is a serious amp for your most demanding applications.

Experience the **BEHRINGER** NX4-6000 amplifier at your local dealer, or get yours online today, and find out why more and more professionals are turning to **BEHRINGER** amplifiers for their superb performance and extraordinary value.



You Are Covered

We always strive to provide the best possible Customer Experience. Our products are made in our own **MUSIC Tribe** factory using state-of-the-art automation, enhanced production workflows and quality assurance labs with the most sophisticated test equipment available in the world. As a result, we have one of the lowest product failure rates in the industry, and we confidently back it up with a generous **Warranty program**.

Portable Amplifiers

NX4-6000

Ultra-Lightweight 6000-Watt 4-Channel
Class-D Power Amplifier with SmartSense
Loudspeaker Impedance Compensation



Portable Amplifiers

NX4-6000

Ultra-Lightweight 6000-Watt 4-Channel
Class-D Power Amplifier with SmartSense
Loudspeaker Impedance Compensation



For service, support or more information contact the BEHRINGER location nearest you:

Europe
MUSIC Tribe Brands UK Ltd.
Tel: +44156 273 2290
Email: CARECrea@music-group.com
CAREEnte@music-group.com
CARELife@music-group.com

USA/Canada
MUSIC Tribe Commercial NV Inc.
Tel: +1 702.800 8290
Email: CARECrea@music-group.com
CAREEnte@music-group.com
CARELife@music-group.com

Japan
MUSIC Tribe Services JP K.K.
Tel: +81 3 6231 0453
Email: CARECrea@music-group.com
CAREEnte@music-group.com
CARELife@music-group.com

MUSIC Tribe accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph, or statement contained herein. Technical specifications, appearances and other information are subject to change without notice. All trademarks are the property of their respective owners. MIDAS, KLARK TEKNIK, LAB GRUPPEN, LAKE, TANNNOY, TURBOSOUND, TC ELECTRONIC, TC HELICON, BEHRINGER, BUGERA and COOLAUDIO are trademarks or registered trademarks of MUSIC Group IP Ltd.
© MUSIC Group IP Ltd. 2018 All rights reserved.

