

## MAXHUB X3 Conference Plat Panel

**Standard Line** >>> The Popular Choice

Using infrared ray technology, MAXHUB X3 standard line provides fluent writing experience. Its multiple size choices and ultra narrow bezel make it even more popular.



**Infrared**



### > 4K Display

Bigger display ratio for immersive experience

4K Ultra HD Anti-glare Display

### > Intelligent Writing

Infrared ray touch technology

±1mm Writing Accuracy\*

Graphic Recognition & Smart Chart

### > Multi-screen Interaction

Cast the screens of your computer, phone and tablets\* onto interactive flat panel, making your presentation vivid and productive.

4 Screen Split\* | Remote Control\*

### > Remote Collaboration

Brand-new video conferencing solution\*, one click to start your "face to face" meeting.

800W Camera\*1 | 8m Distant Sound Pickup\* | Remote Screen Sharing | Annotation Synchronizing

### > Excellent Product Performance

intel Core i7 Processor | 16GB ROM | Android 7.0 and Windows 10 Dual OS



\*13mm ultra narrow bezel is measured by a 55 inches interactive flat panel of MAXHUB X3 standard.

\*Operation system requirements are as follows: PC: Windows 7, MacOS 10.10 or above; mobile phone and tablet: Android 5.0, IOS 9.0 or above.

\*At most 4 devices including mobile phone, computers and tablets could cast screens simultaneously after connecting to the hot spot of MAXHUB interactive flat panel.

## Product Specification

### Display

Size	55/65/75/86 inches
Display Ratio	16:9
Backlight	DLED
Resolution	3840 ( H ) × 2160 ( V )
Viewing Angle	Horizontal 178° , Vertical 178°

### Touch System

Glass Material	Anti-glare tempered glass
Touch Technology	Infrared ray
Touch Point	20 points
Writing Tools	Finger + opaque object ( ≥2mm)
Touch Accuracy	± 1mm

### Camera

Location	Top × 1
Pixels	8 mega pixels
Automatic Control	Automatic white balance, adaptive ambient brightness
Lens Distortion	≤1%
Smart Switch	Support
Face Recognition	Support

### Microphone Array

Directivity	Front
Pickup Distance	8m
Quantity	6
Sampling Frequency	16KHz
Sampling Rate	16bit
Automatic Control	Automatic gain, automatic noise reduction
Echo Cancellation	Support
Auditory Localization	Support

### Speaker

Frequency-domain	80Hz~20KHz
Speaker Quantity	3
Stereo	Support

### Operating System

CPU	Dual A73
Dominant Frequency	1.2GHz
GPU	5 core graphic acceleration chip
RAM	2G
ROM	32G
Operating System	Android 7.0+win10

### PC Module

PC	Ultra-thin pluggable Intel® Core PC module
CPU	Intel® Core i5 / i7 ( Optional )
RAM	DDR4 8G / 16G ( Optional )
ROM	128G / 256G ( Optional )
GPU	Intel® HD Graphics

### Environment Requirement

Power	100-240V~ 50 / 60Hz
Altitude	Below 5000 meters
Standby Power Consumption	≤0.5W

\*All data are from MAXHUB lab.