## **TECHNICAL SPECIFICATIONS**

V10FREE V12FREE

**MIXER Section** 

MONO inputs 2 x MIC/LINE IN (XLR-F + 1.4" JACK)

STEREO input 1 x LINE IN (2xRCA + MINI-JACK)

WIRELESS inputs 2 x USB TYPE-A

Outputs MONO LINE OUT (1.4" JACK)

Main EQ 2-band EQ (HIGH + LOW)

MULTIMEDIA Section

Player Type USB / SD / BLUETOOTH player

Compatible File Formats MP3, WAV, WMA

Control Interface LCD display, CONTROL buttons

AMPLIFIER Section

Total Peak Power400 WContinuous Power200 WAmplifier TypeClass DPower SupplySMPSProcessingAnalog

LOUDSPEAKER Section

System type 2-way vented enclosure

High Frequency Device 1" horn loaded neodymium compression driver

Low Frequency Device 10" woofer with 1.5" VC 12" woofer with 2" VC

*Angular Coverage* 90° H x 60° V

Frequency Response 60 Hz - 20 kHz 50 Hz - 20 kHz

Max SPL 122 dB 123 dB

GENERAL Specifications

Construction Polypropylene Cabinet Color Black

Handles 1 x top 1 x top, 1 x top retractable

Wheels - 2 x rear

Mounting Pole 1 x bottom

Dimensions (W x H x D) 330 x 514 x 286 mm 380 x 603 x 359 mm Weight 10 kg (22.1 lb.) 11 kg (24.3 lb.)

Li-lon Battery11.1 V / 8000 mAhBattery Recharging Time4-5 hours \*Battery Working Time10-12 hours \*\*Power Supply $100-240 \text{ V}^{\sim} 50/60 \text{ Hz}$ 

Rated Consumption 150 W



<sup>\*</sup> This is the full recharging time with battery completely exhausted.

<sup>\*\*</sup> This is the total time with a new battery pack and a normal use of the system. With continuous loud sound and/or battery ageing it can decrease substantially.