

4PRO 3031-A

ACTIVE TWO-WAY SPEAKER

DESCRIPTION

The 4PRO 3031-A is a perfect two-way active bass reflex loudspeaker for live sound situations where extra vocal punch and extremely accurate high frequency response is needed. A superb bass punch is guaranteed by the high power 15" low distortion woofer. The 4PRO 3031-A comprises a 15" woofer and a 1.7" voice coil compression driver that is mounted to a 90° x 60° constant directivity horn.



FEATURES

- 1200 WATT PEAK, 600 WATT RMS
 - 130 dB max spl
 - 90 x 60, Wide dispersion constant directivity horn
 - 15" woofer, 2.5" voice coil
 - 1" HF driver, 1.7" voice coil
-

TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response:	45 Hz ÷ 20000 Hz
	Max SPL @ 1m:	130 dB
	Horizontal coverage angle:	90°
	Vertical coverage angle:	60°
Transducers	Compression Driver:	1 x 1.0", 1.75" v.c
	Woofer:	15", 2.5" v.c
Input/Output section	Input signal:	bal/unbal
	Input connectors:	Combo XLR/Jack
	Output connectors:	XLR
	Input sensitivity:	-2 dBu/+4 dBu
Processor section	Crossover Frequencies:	1650 Hz
	Protections:	Thermal, RMS
	Limiter:	Fast Limiter
	Controls:	Volume, EQ Shape, Mic/Line
Power section	Total Power:	1200 W Peak, 600 W RMS
	High frequencies:	400 W Peak, 200 W RMS
	Low frequencies:	800 W Peak, 400 W RMS
	Cooling:	Convection
	Connections:	VDE
Standard compliance	CE marking:	Yes
Physical specifications	Cabinet/Case Material:	Baltic birch plywood
	Hardware:	3 x Flytracks
	Handles:	2 side
	Pole mount/Cap:	Yes
	Color:	Black
Size	Height:	708 mm / 27.87 inches
	Width:	430 mm / 16.93 inches
	Depth:	430 mm / 16.93 inches
	Weight:	27 kg / 59.52 lbs
Shipping informations	Package Height:	744 mm / 29.29 inches
	Package Width:	484 mm / 19.06 inches
	Package Depth:	484 mm / 19.06 inches
	Package Weight:	31.4 kg / 69.23 lbs

**PART NUMBER**

- **13000367**

4PRO 3031-A

115V

EAN 8024530009809

- **13000366**

4PRO 3031-A

220-240V

EAN 8024530009793

